

- 
- 
- 
- 
- 
- 
- 
- 
- 
- 



	1			2			
					120Vac	220Vac	
700 mA	90 ~ 305 Vac 127~ 250 Vdc	28~56 Vdc	39 W	88%	0.98	0.95	EUC-042S070DDM(SDM)




	90 Vac	-	305 Vac	127~250 Vdc
	47 Hz	-	63 Hz	
	-	-	0.70 mA	IEC60598-1; 240Vac/ 60Hz
	-	-	0.66 A	
	-	-	0.3 A	
	-	-	0.53 A <sup>2</sup> s	
	0.90	-	-	
	-	-	20%	



	-5%lo	-	5%lo	
(pk-pk)	-	-	120%lo	
< 200 Hz (pk-pk)	-	-	120%lo	
	-	5%lo	10%lo	
	-	-	61 V	
	-	-	±0.5%	
	-	-	±1.5%	
	-	-	1.0 s	75%~100%
	-	-	0.6 s	220Vac 75%~100%
	-	0.03%/°C	-	= 0°C ~Tc
12V	10.8 V	12 V	13.2 V	
12V	0 mA	-	200 mA	

@120 Vac	86.5%	87.5%	-	
@220 Vac	87.0%	88.0%	-	
@277 Vac	86.0%	87.0%	-	
	-	582,000 Hours	-	°
	-	80,000 Hours	-	°
	-40°C	-	+90°C	
	-40°C	-	+75°C	: 10% RH to 100% RH
	-40°C	-	+85°C	: 5% RH to 100% RH
(L x W x H)	4.49 x 2.66 x 1.44			5.32 x 2.66 x 1.44
(L x W x H)	114 x 67.5 x 36.5			135 x 67.5 x 36.5
	-	580 g	-	



	-20 V	-	20 V	
	0 μA	200 μA	250μA	
	10%lo	-	100%lo	
	0 V	-	10 V	

ENEC & TUV & CE	EN 61347-1, EN61347-2-13
CB	IEC 61347-1, IEC 61347-2-13
KS	KS C 7655
<b>EMI</b>	
EN 55015 <sup>(1)</sup>	Conducted emission Test & Radiated emission Test
EN 61000-3-2	Harmonic current emissions
EN 61000-3-3	Voltage fluctuations & flicker
<b>EMS</b>	
EN 61000-4-2	Electrostatic Discharge(ESD): 8kV air discharge, 4kV contact discharge
EN 61000-4-3	Radio-Frequency Electromagnetic Field Susceptibility Test-RS
EN 61000-4-4	Electrical Fast Transient/Burst-EFT
EN 61000-4-5	Surge Immunity Test: AC Power Line: Differential Mode 10 kV
EN 61000-4-6	Conducted Radio Frequency Disturbances test-CS
EN 61000-4-8	Power Frequency Magnetic Field Test
EN 61000-4-11	Voltage Dips
EN 61547	Electromagnetic Immunity Requirements Applies To Lighting Equipment









● 0-10V



1: DC



## EUC-042S070DDM



PROJ:  $\pm 1$

RoHS



2015-06-30	A			
2016-04-18	B		500 g	580 g
			220 uA	250 uA
2019-08-21	C	TUV		
		ENEC		
			1	
			TUV	
			CB	
			KS	
			EN 61000-4-5	
	/			
	RoHS	/		